

CONCEPT STANDY



Individual lighting solution, self controlled.



CONCEPT STANDY - A

IP20	80 Lm/W	CRI > 85	DIMMABLE 1-10V/DALI Optional				3000 K	4000 K	6000 K
------	---------	----------	------------------------------------	--	--	--	--------	--------	--------

High efficient LED floor lamp with aluminium 6063 lamp body, aluminium alloy die-casted end caps, PMMA diffuser having aesthetic look, high transmittance, light uniformity without shadows and good anti-glare effect, best suitable for offices, schools, hospitals, hotels etc...



Easy switch




Direct-indirect lighting



PMMA diffuser



Metal base



LIGHTING	POWER	LUMENS	CODE
↑ 115W / ↓ 30W	45 W	↑ 1200 lm / ↓ 2266 lm	FL10-A

CONCEPT

STANDY - B

IP20	80 Lm/W	CRI > 85	DIMMABLE 1-10V/DALI Optional				3000 K	4000 K	6000 K
------	---------	----------	------------------------------------	--	--	--	--------	--------	--------


High efficient LED floor lamp with aluminium 6063 lamp body, aluminium alloy die-casted end caps, PMMA diffuser having aesthetic look, high transmittance, light uniformity without shadows and good anti-glare effect, best suitable for offices, schools, hospitals, hotels etc...




Easy switch




Direct-indirect lighting



PMMA diffuser



Metal base



LIGHTING	POWER	LUMENS	CODE
↑ 115W / ↓ 30W	45 W	↑ 1200 lm / ↓ 3182 lm	FL06-B